



宁波姚耀电器有限公司

Ningbo Yaoyao Electric Appliance Co., Ltd.

宁波耀达电器有限公司

Ningbo Yaoda Electric Appliance Co., Ltd

电源线/延长线/IEC Connector

Power Cables/ Extension Cords/IEC Connector



联系人: Kenny Yao 邮箱/Email: yao@nbyaoyao.com 官网/Website: www.nbyaoyao.com

精密互连 · 精工智造

Precise Interconnection · Intelligent Precision Manufacturing

公司简介

Company Profile

宁波姚耀电器有限公司 & 宁波耀达电器有限公司创立于 2003 年, 旗下自有品牌 YAOJIE。深耕 AC 电源线、美标户外重载延长线领域二十余载, 是集研发、造粒、注塑成型、规模化生产、安规检测于一体的全链条现代化制造企业。

公司自建造粒车间与多条自动化生产线, 配备独立全套实验室, 可完成全套安规测试、和品质把控。

产品全面取得 VDE、CE、UL、cUL、ETL、cETL、SAA、ASTA、CCC 认证, 海湾七国认证、并拥有南非全套安规测试报告。产品远销全球各大区域市场, 可满足商超、工业、户外等多场景严苛标准, 支持 OEM/ODM 定制化开发, 凭借稳定品质与充足产能, 成为众多海内外采购商长期战略供应商。

Ningbo Yaoyao Electric Co., Ltd. & Ningbo Yaoda Electric Co., Ltd. were founded in 2003 with the proprietary brand YAOJIE. For more than 20 years, we have focused on AC power cords and NEMA heavy-duty outdoor extension cords. We are a full-chain modern manufacturer integrating R&D, plastic granulation, injection molding, mass production and safety compliance testing.

The company has self-built granulation workshops and multiple automated production lines, alongside an independent full-service laboratory to carry out complete safety tests and comprehensive quality control.


Our products hold a full range of certifications including VDE, CE, UL, cUL, ETL, cETL, SAA, ASTA and CCC, as well as certifications for the seven Gulf Cooperation Council countries. We also possess complete safety test reports for South Africa. Our products are exported to regional markets across the globe and meet stringent standards for supermarket retail, industrial and outdoor applications. We support customized OEM & ODM development. With consistent stable quality and sufficient production capacity, we act as a long-term strategic supplier for numerous purchasers at home and abroad.



定位

品质 合规 长久 全球交付

Positioning: Quality, Compliance, Sustainability, Global Delivery



使命

造安全线缆 守全球品质

Mission: Manufacture Safety-Standard Cables, Uphold Global Quality Standards






精神

二十载实业守初心 一根线安全通全球

Connect the World: Two Decades of Industrial Dedication to Our Original Aspiration; Safe Cables Connect the World

企业产品证书

Enterprise Product Certificates




公司生产车间

Production Workshop

公司建有标准化现代化生产车间, 厂区空间开阔、布局科学规整, 各类专业生产设备配套齐全。车间全线部署高性能线缆加工设备, 可独立完成线材编织、挤出成型等多道核心工序, 实现一体化连续作业。现场执行规范化、标准化管理体系, 对生产全流程进行精细化管控, 严谨把关每一道生产工序。依托充足稳定的生产产能与精益求精的制造工艺, 持续保障各类连接器配套线缆稳定产出、品质可靠, 为客户提供值得信赖的产品交付保障。

The company operates standardized modern production workshops with spacious premises and a well-organized scientific layout, fully equipped with a complete range of professional production machinery. High-performance cable processing equipment is deployed across the entire workshop production line, enabling independent completion of core processes including wire braiding and extrusion molding to achieve integrated continuous operation.

A standardized and systematic management regime is implemented on-site to deliver refined control over the full production workflow, with rigorous inspections carried out at every manufacturing stage. Backed by sufficient and stable production capacity together with rigorous craftsmanship, we consistently ensure stable output and reliable quality of various connector-matching cables, delivering dependable product supply guarantees to customers.



实验室

Laboratory



高精度光学检测设备, 对连接器、线缆开展尺寸与外观检测。通过标准化检测严控产品公差, 全流程品质管控, 保障成品尺寸精准、性能稳定, 践行精工智造。

High-precision optical testing equipment performs dimensional and visual inspection on connectors and cables. Standardized testing strictly controls product tolerances. Full-process quality control ensures finished products feature precise dimensions and stable performance, embodying intelligent precision manufacturing.



公司配备电源线摇摆试验机, 模拟线缆反复弯折工况, 检测配套线材耐弯折性能。持续摇摆试验验证线缆结构强度, 评估抗疲劳使用寿命, 依据试验数据优化结构设计, 严控耐折品质, 保障产品长期运行可靠。

The company is equipped with power cord swing testers to simulate repeated bending conditions and test the bending resistance of matching cables. Continuous swing tests verify cable structural strength and evaluate fatigue service life. Structural design is optimized based on test data to strictly control bending durability and ensure long-term operational reliability of products.



公司配备线缆垂直燃烧试验机, 检测线缆绝缘材料阻燃性能。依托标准化燃烧测试核验阻燃指标、评估材料安全性, 凭借试验数据规范原料选型, 强化安全管控, 筑牢线缆安全防线。

The company is equipped with vertical cable flame testers to test flame resistance of cable insulation materials. Standard flame tests verify flame retardant indicators and assess material safety. Test data standardizes raw material selection, strengthens safety control and safeguards cable safety.



公司配备高温老化试验箱, 模拟多类温度环境, 测试连接器与线缆耐热老化性能。恒温老化试验核验绝缘材料耐温稳定性, 评估产品环境适应能力。依托试验数据优化材料配方, 提升产品耐候性能, 夯实品质根基。

The company is equipped with high-temperature aging chambers to simulate various thermal environments and test thermal aging resistance of connectors and cables. Constant-temperature aging tests verify the temperature stability of insulation materials and evaluate environmental adaptability. Test data optimizes material formulations to enhance environmental resistance and consolidate quality assurance.

实验室

Laboratory

实验室简介

自有实验室配备全套专业检测仪器，可为电源线、线束线缆组件提供全方位可靠性测试。检测项目涵盖端子拉力测试、线材伸长率测试、往复弯折测试、耐压测试、接地电阻测试、拉伸断裂测试等关键性能验证。



从原材料到成品出货执行标准化质控，所有测试数据留存作为品质依据，有效规避使用隐患，向全球客户提供性能稳定、安全耐用的线缆产品。

Laboratory Profile

Equipped with comprehensive professional testing equipment, our in-house laboratory supports comprehensive reliability testing for power cords, wiring harnesses and cable assemblies.

Testing coverage includes terminal pull force test, wire elongation rate test, cyclic bending test, high voltage withstand test, earth resistance test, tensile breaking test and other key performance verification.

From raw material inspection to finished product delivery, we carry out standardized quality control. All test data serves as quality basis, effectively avoiding hidden dangers and delivering consistent, safe and durable cable products to global customers.



产品类目

AMERICA INTER LOCKING SERIES



01 L14-30P-L14-30R 30A 125/250V ETL Cable:

SJT,SJTW,SJTO.SJTOW,SJTOO,SJTOOW,SJ,SJW,SJO,SJ
OW,SJOO,SJOOW,S,SO,SOW,SOO,SOOW,ST,STW,STO,
STOW,STOO
STOOW, (14,12,10AWG/4C)

02 L5-30P 30A 125V ETL Cable:

SJT,SJTW,SJTO.SJTOW,SJTOO,SJTOOW,SJ,SJW,SJO,SJ
OW,SJOO,SJOOW,S,SO,SOW,SOO,SOOW,ST,STW,STO,
STOW,STOO
STOOW, (14,12,10AWG/3C)



03 L5-30R 30A 125V ETL Cable:

SJT,SJTW,SJTO.SJTOW,SJTOO,SJTOOW,SJ,SJW,SJO,SJ
OW,SJOO,SJOOW,S,SO,SOW,SOO,SOOW,ST,STW,STO,
STOW,STOO
STOOW, (14,12,10AWG/3C)



产品类目

AMERICA INTER LOCKING SERIES

04▶ Triple-Tap NEMA 5-15R ETL Cable:

SJT,SJTW,SJTO,SJTOW,SJTOO,SJTOOW,ST,STW,STO,STOW,
STOO,STOOW, (16,14,12AWG/3C)



05▶ Triple-Tap NEMA 5-15R ETL Cable:

SJT,SJTW,SJTO,SJTOW,SJTOO,SJTOOW,ST,STW,STO,STOW,
STOO,STOOW, (16,14,12AWG/3C)



06▶ N5-15P-N5-15R ETL Cable:

SJT,SJTW,SJTO,SJTOW,SJTOO,SJTOOW,ST,STW,STO,STOW,
STOO,STOOW, (16,14,12AWG/3C)



07▶ N5-15P-N5-15R ETL Cable:

SJT,SJTW,SJTO,SJTOW,SJTOO,SJTOOW,ST,STW,STO,STOW,
STOO,STOOW, (16,14,12AWG/3C)

产品类目

AMERICAN POWER CABLE





01 YY-2

NISPT-1, NISPT-2,
SPT-1,SPT-2,SPT-3,SPT-1W,SPT-2W

02 YY-2A

SVT,SJT,ST,SJTW,STW(18AWG,16AWG,14AWG)



03 YY-3

SVT,SJT,ST,SJTW,STW(18AWG,16AWG,14AWG)

产品类目

American Power Cable

04 ▶ YY-3K

SVT,SJT,ST,SJTW,STW (18AWG,16AWG,14AWG)



05 ▶ YY-2K

SVT,SJTW, SJTOW,SJTOOW (18AWG,16AWG,14AWG)

06 ▶ YY-3A

SJTW,SJT,SVT,SPT-2,SJOW, SJ(18AWG,16AWG,14AWG)



产品类目

EUROPE POWER CABLE



01 YJ01

H03VVH2-F 2x0.5mm² (MAX 2M)

H03VVH2-F 2x0.75mm²


H05VVH2-F 2x0.75mm²

H05VV-F 2x0.75mm²

02 YJ01A

H03VVH2-F 2x0.5mm² (MAX 2M)

H03VVH2-F 2x0.75mm²



03 YJ02

H05VVH2-F 2x0.75mm²


H05VVH2-F 2x1mm²

H05VV-F 2x0.75mm²

H05VV-F 2x1mm²

产品类目

EUROPE POWER CABLE



04 YJ03

H03VV-F 3G0.5MM² (MAX 2M)

H05VV-F 3G0.75MM²

H05VV-F 3G1.0MM²

H05VV-F 3G1.5MM²

05 YJ03-A

H05VV-F 3G0.75MM²

H05VV-F 3G1.0MM²

H05VV-F 3G1.5MM²



产品类目

UK POWER CABLE

01 YJ-09

H03VVH2-F 2x0.5mm² - H05VV-F 3G1.5MM²



02 YJ-09

H03VVH2-F 2×0.5mm² - H03VVH2-F 2×0.75mm²

H05VVH2-F 2×0.75mm² - H05VVH2-F 2×1.0mm²

H03VV-F 2×0.5mm² - H05VV-F 2×0.75mm²

H05VV-F 2×1.0mm² - H05VV-F 2×1.5mm²



03 YJ-09A

H03VVH2-F 2x0.5mm² - H05VV-F 3G1.5MM²



04 YJ-09A

H03VVH2-F 2×0.5mm² - H03VVH2-F 2×0.75mm²

H05VVH2-F 2×0.75mm² - H05VVH2-F 2×1.0mm²

H03VV-F 2×0.5mm² - H05VV-F 2×0.75mm²

H05VV-F 2×1.0mm² - H05VV-F 2×1.5mm²

产品类目

SOUTH AFRICA



01▶ YJ17 6A 250V

H03VVH2-F 2X0.5-0.75 mm²

H03VV-F 2X0.5-0.75 mm²

H05VVH2-F 2X0.75-1.0 mm²

H05VV-F 2X0.75-1.0 mm²

H03VV-F 3G0.5-0.75 mm²

H05VV-F 3G0.75-1.0 mm²

H05RN-F 2X0.75-1.0 mm²

H05RN-F 3G0.75-1.0 mm²

02▶ YJ19 16A

H05VV-F 3G0.75-1.5 mm²

H05VV-F 2X0.75-1.5 mm²

H05VVH2-F 2X0.75-1.0 mm²

H03VV-F 2X0.5-0.75 mm²

H03VV-F 3G0.5-0.75 mm²

H03VVH2-F 2X0.5-0.75 mm²



产品类目

AUSTRALIA POWER CABLE



04 YJ06

H05VV-F 3X0.75 mm²

H05VV-F 3X1.0 mm²

H05VV-F 3X1.5 mm²

05 YJ05A

H03VVH2-F 2x 0.5 mm²

H03VVH2-F 2x 0.75 mm²



06 YJ05B 10A 250V

H05VV-F 2X0.75mm²

H05VV-F 2X1.0mm²

H05VV-F 2X1.5mm²

产品类目

IEC CONNECTOR

CE



01▶ YT1 2.5A

H05VV-F 3G0.75mm² (MAX 2M) ,

H05VV-F 3G1.0mm²

02▶ YT2 2.5A

H03VVH2-F 2 x 0.5mm² (MAX 2m)

H03VVH2-F 2x 0.75mm²,

H05VVH2-F 2 x0.75mm² ,

SPT-1, SPT-2, SPT-1W, SPT-2W ,HPN, NISPT-1,

NISPT-2 (18AWGX2C)



03▶ YT2W 2.5A

H03VVH2-F 2X0.5mm²

H03VVH2-F 2X0.75mm²

H05VV-F 2X0.75mm²



产品类目

IEC CONNECTOR



04 YT3 10A

H05VV-F 3G0.75mm² (MAX 2M)

H05VV-F 3G1.0mm²

SJT,SJTW 18AWG X 3C ,16AWG X 3C, 14AWG X 3C ,
SVT 18AWG X 3C, 16AWG X 3C

02 YT4 10A

H05VV-F 3G0.75mm²

H05VV-F 3G1.0mm²



03 YT5 2.5A

H05VV-F 3G0.75mm²

H05VV-F 3G1.0mm²

产品类目

IEC CONNECTOR



04 ▶ YT19 16A

H05VV-F 3G1.5mm²

H05VV-F 3G2.5mm²

05 ▶ YT20 16A

H05VV-F 3G1.5mm²

H05VV-F 3G2.5mm²

